

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:February 1, 2019

Godrej Skyline Developers Pvt. Ltd.

at Plot 2 Bearing S. No. 10/1A/3, 10/1B, 11/1A, 11/2A, 11/3, 11/4, 11/4/2, 11/1B, 12/1, 12/2/1, 12/2/2, 12/2/3, 13/2, 13/1B

Environment Clearance for Proposed Residential Township at Mamurdi , Pune Plot No 2 bearing S. No. 10/1A/3, 10/1B, 11/1A, 11/2A, 11/3, 11/4, 11/4/2, 11/1B, 12/1, 12/2/1, 12/2/2, 12/2/3, 13/2, 13/1B at Taluka-Haveli, Village-Mamurdi, Pune, Maharashtra **Subject:**

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-III, Maharashtra in its 77th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 152nd meetings.

2. It is noted that the proposal is considered by SEAC-III under screening category Townships and Area Development projects 8(b); Category: B as per EIA Notification 2006.

Brief Information of the project submitted by you is as below:-

1.Name of Project	Proposed Residential Township at Mamurdi , Pune Plot No 2 bearing S. No. 10/1A/3, 10/1B, 11/1A, 11/2A, 11/3, 11/4, 11/4/2, 11/1B, 12/1, 12/2/1, 12/2/2, 12/2/3, 13/2, 13/1B at Taluka-Haveli, Village-Mamurdi, Pune, Maharashtra					
2.Type of institution	Private					
3.Name of Project Proponent	Godrej Skyline Developers Pvt. Ltd.					
4.Name of Consultant	uilding Environment India Pvt.Ltd.					
5.Type of project	esidential Development with convenient shopping					
6.New project/expansion in existing project/modernization/diversification in existing project	New Project					
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not applicable					
8.Location of the project	Plot 2 Bearing S. No. 10/1A/3, 10/1B, 11/1A, 11/2A, 11/3, 11/4, 11/4/2, 11/1B, 12/1, 12/2/1, 12/2/2, 12/2/3, 13/2, 13/1B					
9.Taluka	Haveli					
10.Village	Mamurdi					
Correspondence Name:	Godrej Skyline Developers Pvt. Ltd. Godrej Eternia, 10th Floor, C wing, Wakdewadi, Shivaji Nagar, Pune: - 411003.					
Room Number:						
Floor:	10th Floor, C wing					
Building Name:	Godrej Eternia,					
Road/Street Name:	Wakdewadi,					
Locality:	Shivaji Nagar					
City:	Pune					
11.Whether in Corporation / Municipal / other area	Pimpri Chinchwad Municipal Corporation (PCMC)					
	Applied					
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: IOD Applied					
	Approved Built-up Area: 460837					
13.Note on the initiated work (If applicable)	Construction Not Yet statrted					
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA					

SEIAA Meeting No: 152 Meeting Date: January 23, 2019 (SEIAA-STATEMENT-0000001459) **SEIAA-MINUTES-0000000933 SEIAA-EC-0000000659**

SEIAA)

Shri. Anil Diggikar (Member Secretary

Page 1 of 13

15.Total Plot Area (sq. m.) Total Plot area: 1,44,812.00sq.mt					
16.Deductions	Deduction: 16,389.00 sq.mt				
17.Net Plot area	Net plot area: 1,28,423 sq.mt				
	FSI area (sq. m.): 2,47,552.11 sq.mt				
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 2,13,285.00 sq. mt				
102 102)	Total BUA area (sq. m.): 460837				
40.40	Approved FSI area (sq. m.): 2,47,552 .11 sq.mt				
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): 2,13,285.00 sq. mt				
	Date of Approval: 18-04-2018				
19.Total ground coverage (m2)	39,879.00 sq.mt				
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	31.00				
21.Estimated cost of the project	11122000000				



			22.F	roduct	ion Details			
Serial Number	Pro	duct	Existing	(MT/M)	Proposed (MT/M)	Total (MT/M)		
1	Not applicable		Not applicable		Not applicable	Not applicable		
		2	23.Tota	l Wate	r Requiremen	t		
		Source of	water	PCMC / Tar	nker / STP Treated Water			
		Fresh wate	er (CMD):		1.00 Phase-2:449.00 Phas 0 Total:1530.00	se-3:450.00 EWS:234.00 Club		
		Recycled v Flushing (2.00 Phase-2:220.00 Phas 0 Total:759.00	se-3:221.00 EWS:118.00 Club		
		Recycled v Gardening		Phase-1:23. Total:151.0		3:64.00 EWS: Club House:4.00		
		Swimming make up (pool Cum):	Phase-1:11 Total:46.00		-3: 11.50 EWS: Club House: 11.50		
Dry season:		Total Wate Requirement		Phase-1:55 House: 89.5	7.50 Phase-2: 740.50 Pha 50 Total:2486.00	se-3: 746.50 EWS: 352.00 Club		
		Fire fighting - Underground water tank(CMD):		U.G fire tar required for	nk required for Phase-2. 6	nired for Phase-1. 600Cu.m capacity 600Cu.m capacity U.G fire tank city U.G fire tank required for EWS. nired for Club		
		Fire fighting Overhead tank(CMD)	water	5 Nos. of 10Cu.m capacity O.H fire tank required for Phase-1. 6 Nos. of 10Cu.m capacity O.H fire tank required for Phase-2. 6 Nos. of 10Cu.m capacity O.H fire tank required for Phase-3. 2 Nos. of 10Cu.m capacity O.H fire tank required for EWS. 1 Nos. of 5Cu.m capacity O.H fire tank required for Club				
		Excess trea	ated water	se-3: 279.00 EWS:183.00 Club				
		Source of	water	PCMC / RWH / Tanker / STP Treated Water				
		Fresh water	er (CMD):	Phase-1:351.00 Phase-2:449.00 Phase-3:450.00 EWS:234.00 Club House:46.00 Total:1530.00				
		Recycled w Flushing (vater - CMD):	Phase-1:172.00 Phase-2:220.00 Phase-3:221.00;EWS:118.00 Club House:28.00 Total:759.00				
		Recycled v Gardening	vater - (CMD):	र्ण्यस्य मुद्रा				
		Swimming make up (pool Cum):	Phase-1:11.50 Phase-2: 11.50 Phase-3: 11.50 EWS: Club House: Total:46.00				
Wet season:		Total Wate Requirement		Phase-1:534.00 Phase-2: 680.50 Phase-3: 682.50 EWS:352.00 C House: 85.50 Total:2335.00				
		Fire fighting Undergroutank(CMD)	ind water	400Cu.m capacity U.G fire tank required for Phase-1. 600Cu.m capacity U.G fire tank required for Phase-2. 600Cu.m capacity U.G fire tank required for Phase-3. 200Cu.m capacity U.G fire tank required for EWS. 100Cu.m capacity U.G fire tank required for Club				
		Fire fighting Overhead tank(CMD	water	5 Nos. of 10Cu.m capacity O.H fire tank required for Phase-1. 10Cu.m capacity O.H fire tank required for Phase-2. 6 Nos. of capacity O.H fire tank required for Phase-3. 2 Nos. of 10Cu.m O.H fire tank required for EWS. 1 Nos. of 5Cu.m capacity O.H required for Club				
		Excess trea	ated water		Phase-1:266.00 Phase-2: 342.00 Phase-3: 343.00 EWS:183.00 Club House: 27.00 Total:1161.00			
Details of Sy pool (If any)		Pool No. 1: 25.00 m x 10.00 m Pool No. 2: 25.00 m x 10.00 m Pool No. 3: 25.00 m x 10.00 m Pool No. 4: 25.00 m x 10.00 m						

	24.Details of Total water consumed									
Particula rs	Cons	sumption (C	MD)		Loss (CMD)			Effluent (CMD)		
Water Require ment	Existing	Proposed Total		Existing	Proposed	Total	Existing	Proposed	Total	
Domestic	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
		Level of th water table		7.00 mt						
		Size and not tank(s) and Quantity:			M					
		Location o tank(s):	f the RWH		II ()	1/2				
25.Rain V Harvestin		Quantity o pits:	f recharge	Phase-1:12. 7.00	00; Phase-2:	46.00, Phas	e-3: 14.00; E	ZWS:39.00; C	Club House:	
(RWH)		Size of rec	harge pits	2m Dia. and	l 2.5m effect	ive depth.	久			
		Budgetary (Capital co	allocation st) :	60.00 L	200	100	The second			
	Budgetary allocation (O & M cost):		6L 6L							
		Details of if any:	UGT tanks							
		7	-4	100			H			
	Natural water drainage pattern:			South-west						
26.Storm drainage	water	water Quantity of storm water:		Outfall-1 = 151.3 L/s Outfall-2 = 590 L/s Outfall-3 = 176.7 L/s Outfall-4 = 506.1 L/s Outfall-5 = 85.4 L/s						
urumuge	Size of SWD:		SWD of Outfall-1 = $0.6m(W) \times 0.6m(D)$ SWD of Outfall-2 = $0.9m(W) \times 0.8m(D)$ SWD of Outfall-3 = $0.5m(W) \times 0.7m(D)$ SWD of Outfall-4 = $0.7m(W) \times 0.9m(D)$ SWD of Outfall-5 = $0.4m(W) \times 0.6m(D)$					9m(W) x all-4 =		
Z/ De la companya della companya della companya de la companya della companya del										
	Sewage generation in KLD:			PPhase-1:461.00; Phase-2: 592.00, Phase-3: 594.00; EWS:317.00; Club House: 57.00 Total:2021.00						
		STP techno	ology:	MBBR						
27.Sewage and Waste water	Capacity o (CMD):	f STP	Phase-1:465.00; Phase-2: 595.00, Phase-3: 595.00; EWS:320.00; Club House: 60.00							
	Location & the STP:	area of	underground							
		Budgetary (Capital co		170.00 L						
		Budgetary (O & M cos	allocation st):	70.00 L K Q C D T K Q						
					UP)					

	28.Solie	d waste Management
Waste generation in	Waste generation:	1.55T/Day
the Pre Construction and Construction phase:	Disposal of the construction waste debris:	From waste generation from proposed development 30% will be recycled on site & remaining will be handed over to Authorised Recycles as per C&D waste Management Rule,2016
	Dry waste:	Phase 1 - 1142.00Kg/day Phase 2 - 1467.00Kg/day Phase 3 - 1471.00Kg/day EWS - 784.00Kg/day Club House - 167.00 Kg/day Total:5031.00 Kg/day
Mosto generation	Wet waste:	Phase 1 -794.00Kg/day Phase 2 - 1017.00Kg/day Phase 3 - 1020.00Kg/day EWS - 548.00Kg/day Club House - 124.00 Kg/day Total:3503.00 Kg/day
Waste generation in the operation Phase:	Hazardous waste:	will be handed over as per Hazardous Waste Management & Handling Rule,2016
	Biomedical waste (If applicable):	not applicable
	STP Sludge (Dry sludge):	102.00 Kg/day
	Others if any:	not applicable
	Dry waste:	Will be handed over to SWaCH
	Wet waste:	Will be treated in OWC
Made of Dienocal	Hazardous waste:	will be handed over as per Hazardous Waste Management & Handling Rule,2016
Mode of Disposal of waste:	Biomedical waste (If applicable):	not applicable
	STP Sludge (Dry sludge):	Will be used as soil conditioner
	Others if any:	+ 5
	Location(s):	Layout showing location is attached
Area requirement:	Area for the storage of waste & other material:	Phase 1 -54.00 sq.mt Phase 2 - 51.00 sq.mt Phase 3 - 51.00 sq.mt EWS - 54.00 sq.mt Club House -40.00 sq.mt
	Area for machinery:	24
Budgetary allocation	Capital cost:	120.00 L
(Capital cost and O&M cost):	O & M cost:	12.00 L

	29.Effluent Charecterestics						
Serial Number	Parameters	Unit	Unit Inlet Effluent Outlet Effluent Charecterestics Charecterestics Effluent standards				
1	Not applicable	Not applicable			Not applicable		
Amount of effluent generation (CMD):		Not applica	Not applicable				
Capacity of the ETP:		Not applicable					
Amount of treated effluent recycled:		Not applicable					
Amount of water send to the CETP:		Not applicable					
Membership of CETP (if require):		Not applicable					
Note on ETI	P technology to be used	Not applicable					
Disposal of	the ETP sludge	Not applicable					



			30.Ha	zardous	Waste D	etails				
Serial Number	Descr	iption	Cat	UOM	Existing	Proposed	Total	Method of Disposal		
1	Not ap	plicable	Not applicable			Not applicable	Not applicable	Not applicable		
			31.St	acks em	ission De	etails	<u> </u>			
Serial Number	Section	& units		ed with ntity	Stack No.	No. Height from ground level (m)		Temp. of Exhaust Gases		
1	Not ap	plicable	Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable		
			32.De	tails of I	uel to be	e used				
Serial Number	Тур	e of Fuel	~	Existing	HYY)T	Proposed		Total		
1	Not	applicable	172	Not applicabl	e N	Vot applicabl	е	Not applicable		
Source of F	uel		Not a	pplicable	T8167	Z3M				
Mode of Tra	ansportation	of fuel to sit	e Not a	pplicable	37	N 76	7			
		N	7 95			197 /	2			
			\O.	33.E	nergy	30	73			
		Source of participation supply:	power	MSEDCL	3 1	3	K			
		During Cor Phase: (De Load)	nstruction emand	300KW	20-	2	8			
		DG set as l back-up du construction	ıring	2x200KVA						
		During Op phase (Cor load):		23630.13 kVA						
Pov require	ver ement:	During Op phase (Der load):	eration mand	8337.49 kVA						
		Transform	er:	17Nos.630kVA 22kV/433V Transformer and 1No. of 200kVA 22kV/433V Transformer						
		DG set as l back-up du operation	ıring	1No of 750kVA, 2No of 1010kVA each, 1No of 250 kVA, and 1No of 200kVA						
		Fuel used:	110	Diesel	100 4	101				
		Details of I tension lin through th any:	e passing	NA	IIIt	;	. U			
		34.Ene	rgy savi	ng by no	n-conver	ntional m	ethod:			
olar Photovo generation-	oltaic (90kW 143664kWh	ighting will l p) onsite pov savings,Sola ings-13.80%	wer r Hot		42	Ш	d			
		3	6.Detail	calculati	ons & %	of savin	g:			
Serial Number	E	nergy Cons					Saving	%		
1	1No of 750kVA, 2No of 1010kVA eakVA, and 1No of 200k				250		9.19%)		
2	saving through Renewable energy 13.80%					6				
		37	.Details	of pollut	ion conti	rol Syste	ms			
Source	Ex	isting pollu	tion contro	l system		Pro	posed to be	installed		
Water	Not applicable						STP			

Page 7 of 13

Shri. Anil Diggikar (Member Secretary SEIAA)

Soil & OWC Not applicable Land Budgetary allocation (Capital cost and **Capital cost:** otal Capex for Solar Photovoltaic & Solar Hot water Generation-1Crore O & M cost: Ô&M cost): **38.Environmental** Management plan Budgetary Allocation Construction phase (with Break-up): **Serial** Total Cost per annum (Rs. In Lacs) **Attributes Parameter** Number Water spray for dust 1 Dust pollution 5.0 suppression Site sanitation and 2 **EHS** Potable Water Supply 10.0 to Labour Environmental Monitoring (As per the Environmental 3 CPCB guidelines 4.0 Monitoring through MoEF Approved laboratories) Health check-up & 5.0 4 **EHS** first aid Safety Personal Protective Equipment (Helmets, Safety 5 Safety 12.00 Shoes, Safety Belt, Googles, Hand Gloves etc.) Traffic Management (Sign Boards, Persons 6 4.0 at entry exit and Parking area) 7 Safety Nets 25.0 Storm water Management (SWD 8 along plot boundary 4.0 and Sedimentation Pits) 9 Passenger Lift 3.77 Tyre cleaning and 10 4.0 Vehicle maintenance Safety Training to 8.0 11 Workers (Twice in Year), Safety Officer 12 Disinfection 3.0 Debris & construction 45.72 13 waste 14 Total 133.49 **Operation Phase (with Break-up** Serial Capital cost Rs. In **Operational and Maintenance** Component **Description** Number Lacs cost (Rs. in Lacs/yr) **STP MBBR** 170 70 1 2 RWH 60 6 Recharge Pits 3 Landscape 70 15 4 **SWM OWC** 120 12

39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

--

Energy Saving

DMP

5

6

1000

3743

347

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
40.Any Other Information							
No Information Availa	ble						



	RZ/ RRZ clearance btain, if any:	NA
Pr Cr ar ar	istance from rotected Areas / ritically Polluted reas / Eco-sensitive reas/ inter-State oundaries	
sc	ategory as per chedule of EIA otification sheet	Townships and Area Development projects 8(b); Category:B
	ourt cases pending any	NA
	ther Relevant nformations	
su Ar	ave you previously ubmitted pplication online n MOEF Website.	Yes
	ate of online ubmission	01-01-1900

3. The proposal has been considered by SEIAA in its 152nd meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	Nil.
II	PP to approve revised podium profile from PCMC.
III	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III dt.04.01.2019

General Conditions:

E-waste shall bedisposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
PP has to abide by the conditions stipulated by SEAC& SEIAA.
The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
Arrangement shall be made that waste water and storm water do not get mixed.
All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.

Shri. Anil Diggikar (Member Secretary SEIAA)

XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
XXIII	Ready mixed concrete must be used in building construction.
XXIV	Storm water control and its re-use as per CGWB and BIS standards for various applications.
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.
XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
XXXVIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
XXXIX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.

XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
LIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
LV	SEIAA decided to grant EC for FSI: 247549.38 m2, Non FSI: 179198.91 m2 & Total BUA: 387779.43 m2. (IOD no.EC/MAMURDI/02/2018, Approval Date-03.11.2018.)

Shri. Anil Diggikar (Member Secretary SEIAA)

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

- 1. SECRETARY MOEF & CC
- 2. IA- DIVISION MOEF & CC
- 3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 4. REGIONAL OFFICE MOEF & CC NAGPUR
- 5. MUNICIPAL COMMISSIONER PUNE
- 6. MUNICIPAL COMMISSIONER SATARA
- 7. REGIONAL OFFICE MPCB PUNE
- 8. REGIONAL OFFICE MIDC PUNE
- 9. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- 10. COLLECTOR OFFICE PUNE
- 11. COLLECTOR OFFICE SATARA
- 12. COLLECTOR OFFICE SOLAPUR

Naharashtra

Shri. Anil Diggikar (Member Secretary SEIAA)